

**Tecco®**

LASER





## PRODUCT DATASHEET

### MD105 Matt

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Matt paper  
Dry toner technology  
Printable both sides  
Suitable for most current colour copiers and laser printers  
Heat stable  
Optimum acceptance and adherence of toner



The mark of  
responsible forestry

#### Ideal for:

Presentation tools  
Mailing

#### Technical data:

Weight 105 g/m<sup>2</sup>  
Thickness 115 µ  
Opacity 92 %  
Storage 15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4 (210 x 297 mm)  
DIN A3 (297 x 420 mm)  
A3 ÜF (305 x 457 mm)  
SRA 3 (320 x 450 mm)  
A3 Nobi (328 x 453 mm)  
DIN A3+ (330 x 483 mm)  
Banner 1 (328 x 900 mm)  
Banner 2 (215 x 1.200 mm)  
Banner 3 (328 x 1.200 mm)  
Banner 10 (297 x 630 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

### MD165 Matt

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Matt paper  
Dry toner technology  
Printable both sides  
Suitable for most current colour copiers and laser printers  
Heat stable  
Optimum acceptance and adherence of toner



The mark of  
responsible forestry

#### Ideal for:

Presentation tools  
Mailing  
Greeting cards

#### Technical data:

Weight 165 g/m<sup>2</sup>  
Thickness 170 µ  
Opacity 95 %  
Storage 15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4 (210 x 297 mm)  
DIN A3 (297 x 420 mm)  
A3 ÜF (305 x 457 mm)  
SRA 3 (320 x 450 mm)  
A3 Nobi (328 x 453 mm)  
DIN A3+ (330 x 483 mm)  
Banner 1 (328 x 900 mm)  
Banner 2 (215 x 1.200 mm)  
Banner 3 (328 x 1.200 mm)  
Banner 10 (297 x 630 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

### MD300 Matt

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Matt paper  
Dry toner technology  
Printable both sides  
Suitable for most current colour copiers and laser printers  
Heat stable  
Optimum acceptance and adherence of toner



The mark of  
responsible forestry

#### Ideal for:

Presentation tools  
Mailing  
Greeting cards

#### Technical data:

Weight	300 g/m <sup>2</sup>
Thickness	310 μ
Opacity	99 %
Storage	15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4	(210 x 297 mm)
DIN A3	(297 x 420 mm)
A3 ÜF	(305 x 457 mm)
SRA 3	(320 x 450 mm)
A3 Nobi	(328 x 453 mm)
DIN A3+	(330 x 483 mm)
Banner 10	(297 x 630 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

### CS130 Semimatt

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Semi matt coated paper  
For laser printing applications as per ISO 12647-7.  
Wide color gamut  
Suitable for Duplex Printing  
Dry toner technology  
Suitable for most current colour copiers and laser printers  
Heat stable  
Optimum acceptance and adherence of toner



The mark of  
responsible forestry

#### Ideal for:

Presentation tools  
Business cards  
Photo album  
Greeting cards  
Mailing

#### Technical data:

Weight	130 g/m <sup>2</sup>
Thickness	115 μ
Opacity	97 %
Storage	15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4	(210 x 297 mm)
DIN A3	(297 x 420 mm)
A3ÜF	(305 x 457 mm)
SRA3	(320 x 450 mm)
A3Nobi	(328 x 453 mm)
DIN A3+	(330 x 483 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

### MP140 Semiglossy

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Semiglossy paper  
Duplex printing  
Heat stable  
Dry toner technology  
Suitable on every current colour copiers and laser printers  
Optimum acceptance and adherence of toner  
Excellent foldability

#### Ideal for:

Presentation tools  
Business cards  
Photo albums  
Greeting cards  
Mailing

#### Technical data:

Weight 140 g/m<sup>2</sup>  
Thickness 115 µ  
Opacity 97 %  
Storage 15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4 (210 x 297 mm)  
Super A4 (241 x 340 mm)  
DIN A3 (297 x 420 mm)  
A3ÜF (305 x 457 mm)  
SRA3 (320 x 450 mm)  
A3Nobi (328 x 453 mm)  
DIN A3+ (330 x 483 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

### HGE180 Glossy

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Sharp prints  
Ideal for digital colour printing  
Special surface for brilliant colour reproduction  
Even colour distribution  
Perfect even toner transfer  
High resolution

#### Ideal for:

Presentation tools  
Business cards  
Photo album  
Greeting cards

#### Technical data:

Weight 180 g/m<sup>2</sup>  
Thickness 210 µ  
Opacity 95 %  
Storage 15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4 (210 x 297 mm)  
DIN A3 (297 x 420 mm)  
A3 ÜF (305 x 457 mm)  
SRA 3 (320 x 450 mm)  
A3 Nobi (328 x 453 mm)  
DIN A3+ (330 x 483 mm)  
Banner 1 (328 x 900 mm)  
Banner 2 (215 x 1.200 mm)  
Banner 3 (328 x 1.200 mm)  
Banner 10 (297 x 630 mm)



The mark of  
responsible forestry

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.





## PRODUCT DATASHEET LC2

**TP** | TECCO:PAPER  
**LASER**

### Description:

Clear Film  
Dry toner technology  
Printable single side  
Suitable for most current colour copiers and laser printers  
Heat stable

### Ideal for:

Covers  
Posters and billboards in small size  
Labels

### Technical data:

Weight	157 g/m <sup>2</sup>
Thickness	100 µ
Opacity	/ %
Storage	15-30 °C (40-60% RH)

### Sizes

#### Sheets

DIN A4	(210 x 297 mm)
DIN A3	(297 x 420 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.  
**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.





## PRODUCT DATASHEET **WOMF/SK II**

**TP** | TECCO:PAPER  
**LASER**

### **Description:**

Self-adhesive film, opaque  
Dry toner technology  
Printable single side  
Printing side matt, paperback glossy  
Suitable for most current colour copiers and laser printers  
Heat stable  
Printable side facing up in box

### **Ideal for:**

Suitable for self-adhesive prints  
Posters and billboards in small size  
Labels / Stickers  
Suitable for solid and smooth surfaces  
(Surface should be dry and clean)

### **Technical data:**

Weight            210 g/m<sup>2</sup> (with paperback)  
Thickness        160 µ  
Opacity            90 %  
Storage           15-30 °C (40-60% RH)

### **Sizes**

#### **Sheets**

DIN A4    (210 x 297 mm)  
DIN A3    (297 x 420 mm)  
A3 ÜF     (305 x 457 mm)  
SRA 3    (320 x 450 mm)  
A3 Nobi   (328 x 453 mm)  
DIN A3+   (330 x 483 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET LC4/SKII

**TP** | TECCO:PAPER  
LASER

### Description:

Self-adhesive film, Clear  
Dry toner technology  
Printable single side  
Printing side matt, paperback glossy  
Suitable for most current colour copiers and laser printers  
Heat stable  
Printable side facing up in box

### Ideal for:

Suitable for self-adhesive prints  
Posters and billboards in small size  
Labels / Stickers  
Suitable for solid and smooth surfaces  
(Surface should be dry and clean)

### Technical data:

Weight 210 g/m<sup>2</sup> (with paperback)  
Thickness 160 µ  
Opacity 90 %  
Storage 15-30 °C (40-60% RH)

### Sizes

#### Sheets

DIN A4 (210 x 297 mm)  
DIN A3 (297 x 420 mm)  
A3 ÜF (305 x 457 mm)  
SRA 3 (320 x 450 mm)  
A3 Nobi (328 x 453 mm)  
DIN A3+ (330 x 483 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

### SP125 Silver Pearl DUO

**TP** | TECCO:PAPER  
**LASER**

#### Description:

Homogenous silver-pearl coated  
For duplex prints

#### Ideal for:

Production of high end unique photo albums  
Menu cards  
Displays  
Invitation cards

#### Technical data:

Weight	125 g/m <sup>2</sup>
Thickness	130 μ
Opacity	94 %
Storage	15-30 °C (40-60% RH)

#### Sizes

##### Sheets

DIN A4	(210 x 297 mm)
DIN A3	(297 x 420 mm)
A3ÜF	(305 x 457 mm)
SRA3	(320 x 450 mm)
A3Nobi	(328 x 453 mm)
DIN A3+	(330 x 483 mm)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.



## PRODUCT DATASHEET

# Transferpaper

**TP** | TECCO:PAPER  
**LASER**

### Description:

T-Shirt Transferpaper

### Ideal for:

T-Shirt Transferpaper for white T-Shirts; Very suitable for all oil less laser printers and copiers.

Excellent print results and lasting impressions!

### Technical data:

Weight	170 g/m <sup>2</sup>
Thickness	210 μ
Storage	15-30 °C (40-60% RH)

### Sizes

#### Sheets

DIN A4 (210 x 297 mm)

(To use the product properly, please see instructions)

**Important:** Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This Product Data Sheet is intended to be used as a guideline only.

**Storing conditions:** Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.